





# KUNARK HITECH MACHINING & SALES PVT.LTD.


Kunark House, 269, Kunark Marg, Kaman Bhiwandi Road, Kaman,  
Vasai Road (East), Dist: Thane -401208, Maharashtra, India.


Mobile: (+91) 9867973046 Factory: 0250-6454895 Fax: 022-28845625

Email: [info@jkgears.com](mailto:info@jkgears.com), [jkgears9999@hotmail.com](mailto:jkgears9999@hotmail.com) website: [www.jkgears.com](http://www.jkgears.com)











|            |    |                                  |                 |    |                       |
|------------|----|----------------------------------|-----------------|----|-----------------------|
| Category   | :- | Gear Related Machines            | Serial No       | :- | Not Available         |
| Model      | :- | L 401 (Choice of three machines) | Country         | :- | Germany               |
| Make       | :- | Liebherr                         | Type of Machine | :- | Gear Hobber Universal |
| Year       | :- | 1986                             | Weight          | :- | 0.0                   |
| Dimensions | :- |                                  | Power           | :- |                       |
| Location   | :- | Mumbai Warehouse,India           | Asking Price    | :- | On Request            |

|                                                                                                                                                          |
|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Specifications :-                                                                                                                                        |
| LIEBHERR GEAR HOBGING MACHINESPECIFICATIONS:<br>Workpiece Diameter 16"Module Hobbed in 600-700 N/mm2 3.18 DPIIndex Worm Gear Diameter 15.91"Hob Diameter |

7.56"Hob Length 9.84"Hob Shift 7.87"Hob Spindle Taper MK 5Hob Speed 40-320 RPM  
Axial Feed, Infinitely Variable .015-.354 IPRTangential Feed, Infinitely Variable .003-.063 IPRRadial Feed, Infinitely Variable .028-.53"/min.  
Rating of Main Motor 11.4 HPTotal Connected Load 18 kVAWeight, approx. 21,000 lbs.  
MACHINE IS EQUIPPED WITH THE FOLLOWING:  
\* Differential\* Universal Hob Head\* Hob Shifting Device for Universal Hob Head and Precision Hob Shift\* Power Clamping\* Automatic Feed Control\* Work Support Tailstock\* Miscellaneous Change Gears

Descriptions :-