

KUNARK HITECH MACHINING & SALES PVT.LTD.




Kunark House, 269, Kunark Marg, Kaman Bhiwandi Road, Kaman,


Vasai Road (East), Dist: Thane -401208, Maharashtra, India.

Mobile: (+91) 9867973046 Factory: 0250-6454895 Fax: 022-28845625

Email: info@jkgears.com, jkgears9999@hotmail.com website: www.jkgears.com











| | | | |
|------------------------|---|-------------------|--|
| <i>Machine Id</i> | :- 429 | <i>Serial No</i> | :- Not Available |
| <i>Category</i> | :- Optical Profile Grinder (OPG) | <i>Model</i> | :- opg (Choice Of 5 similar Machines.) |
| <i>Country</i> | :- United Kingdom | <i>Make</i> | :- wickman |
| <i>Type of Machine</i> | :- optical profile grinder with grinding attachment | <i>Year</i> | :- 1982 |
| <i>Weight</i> | :- 0.0 | <i>Dimensions</i> | :- Not Available |
| <i>Power</i> | :- Not Available | <i>Location</i> | :- Mumbai Warehouse, India |

Specification :-

WHEEL HEAD: wheel motor 1/2 hp, range of front relief 0 to 35, side relief 10-0-10

Wheelslide strokes per min. 55 & 109, Length 0 to 79mm, Angular adjustment of wheel head 90-0-90, upper slide 45-0-45, lower slide 45-0-90

Traverse of upper slide 140mm, lower slide 108mm

Grinding wheels Standard 127 mm dia X31.7mm. Bore X 4.7mm. Thick

Grinding wheels special 178mm. Dia X 31.7mm. Bore X 4.7mm. Thick

WORK HEAD: Vertical movement of column 114mm, Traverse of cross side 64mm

Traverse of longitudinal slide 150mm.

PANTOGRAPH : ratio standard 50:1, special 30:1, special 20:1

Maximum size of layout 500mm X 500mm

WORK RANGE: by pantograph standard 50:1 10X10mm, special 30:1 16.66X16.66mm, special 20:1 25X25mm. By work table 150X64mm. Maximum thickness 76mm