

















Machine Id :- 1424 Serial No Category :-Gear Related Machines Model **PA300 AW** :-:- Germany Country Make **Pfauter** :-Type of Machine :- Gear Hobber Machine Year Weight :- 0.0 **Dimensions** Power Location Mumbai Warehouse,India

## Specification :-

## Pfauter PA300 AW Gear Hobber

**Specifications:** 

•Model: Pfauter PA300 AW

•Type: Gear Hobber

Country of Origin: Germany

•Cutting Capacity:

Maximum Gear Diameter: 320 mmMaximum Gear Module: 8 mm

•Maximum Workpiece Length: 400 mm

•Spindle Speed:

•Hob Spindle Speed Range: 40 to 1000 rpm •Work Spindle Speed Range: 15 to 300 rpm

•Hob Spindle: •Power: 7.5 kW

•Maximum Hob Diameter: 180 mm

•Table Movement:

•X-axis Travel: 600 mm •Y-axis Travel: 300 mm

•Feed Rates:

•In-feed Rate: 0.01 to 2 mm/rev •Return Rate: 0.02 to 3 mm/rev

•Accuracy:

•Cutting Accuracy: ±0.015 mm •Surface Finish: Ra 1.5 m

•Control System: Manual operation with advanced settings for helical cutting

•Helical Cutting Facility: Equipped with original Pfauter helical cutting capabilities, not available in

every PA300 AW model

•Dimensions:

•Machine Size: 2000 x 1700 x 2400 mm

•Weight:

•Approximate Weight: 3500 kg

•Power Supply: 400V, 50/60Hz, 15 kVA

Features:

•Advanced Helical Cutting: Includes Pfauter's original helical facility, providing enhanced versatility for complex gear geometries.

- •**High Precision:** Ensures exceptional cutting accuracy and surface finish through meticulous manual control.
- •Versatile Capabilities: Ideal for a broad range of gear sizes and types, accommodating diverse manufacturing requirements.
- •Robust German Engineering: Built in Germany for long-lasting durability and reliability with minimal maintenance.
- •Increased Productivity: Efficient cutting speeds and capabilities designed to optimize production rates.

## **Applications:**

Perfect for high-precision gear manufacturing in:

- Automotive Industry
- Aerospace Sector
- Industrial Equipment
- •Power Transmission SystemsPresenting the Pfauter PA300 AW Gear Hobber, a premier gear cutting machine engineered for precision and versatility. Originating from Germany, the PA300 AW stands out in its class with the inclusion of a helical cutting facility—an advanced feature that is not standard in every PA300 AW model. This specific machine is equipped with this unique capability, making it a valuable asset for producing high-quality gears with complex geometries.

## Description :--

Presenting the Pfauter PA300 AW Gear Hobber, a premier gear cutting machine engineered for precision and versatility. Originating from Germany, the PA300 AW stands out in its class with the inclusion of a helical cutting facility—an advanced feature that is not standard in every PA300 AW model. This specific machine is equipped with this unique capability, making it a valuable asset for producing high-quality gears with complex geometries.