

# KUNARK HITECH MACHINING & SALES PVT.LTD.



Kunark House, 269, Kunark Marg, Kaman Bhiwandi Road, Kaman,

Vasai Road (East), Dist: Thane -401208, Maharashtra, India.

Mobile&Whatsapp: +91 9867973046, Mobile 2:- +91 7977043901

Goggle Map:- <https://maps.google.com/maps?q=19.372000+72.902095>

Email: [info@jkgears.com](mailto:info@jkgears.com), [dalbirbright@gmail.com](mailto:dalbirbright@gmail.com) website: [www.jkgears.com](http://www.jkgears.com)














































<b>Machine Id</b>	<b>:- 1430</b>	<b>Serial No</b>	<b>:-</b>
<b>Category</b>	<b>:- Gear Related Machines</b>	<b>Model</b>	<b>:- DC280 CNC (choice of Two machines)</b>
<b>Country</b>	<b>:- Italy</b>	<b>Make</b>	<b>:- Demm</b>
<b>Type of Machine</b>	<b>:- Used CNC Gear Hobbing Machine</b>	<b>Year</b>	<b>:-</b>
<b>Weight</b>	<b>:- 0.0</b>	<b>Dimensions</b>	<b>:-</b>
<b>Power</b>	<b>:-</b>	<b>Location</b>	<b>:- Mumbai Warehosue, India</b>

Specification :-

**Specification:**

**Max. Wheel Diameter: 280 mm**

**Max. Gear Width: 240 mm**

**Max. Module: 6 mm**

**Table Diameter: 280 mm**

**Table Hole: 140 mm**

**Distance Hob Workpiece Axis (X-Axis): 50-245 mm**

**Distance of Hob from Table face (Z-Axis): 220-460 mm**

**Max. Distance Table-Outer Steady: 720 mm**

**Tangential Movement of Hob: 180 mm**

**Diameter Of Hob: 150 mm**

**Max. Hob Length: 230 mm**

**Milling Head Swivel: ±30 Degree**

**Feed Axial: 0.1-20 mm/rev**

**Feed Radial: 0.1-5 mm/rev**

**Rapid Travel –X: 400 mm/min**

**Rapid Travel –Y: 4000 mm/min**

**Rapid Travel –Z: 800 mm/min**

**Hob Turning Speeds: 50-420 rpm**

**Total Power Requirement: 35 –Kva**

**Approx. Weight Of Machine: 8.0 tons**

Description :-

**Demm DC280 CNC Gear Hobbing**