

# KUNARK HITECH MACHINING & SALES PVT.LTD.



Kunark House, 269, Kunark Marg, Kaman Bhiwandi Road, Kaman,

Vasai Road (East), Dist: Thane -401208, Maharashtra, India.

Mobile: (+91) 9867973046 Factory: 0250-6454895

Email: [info@jkgears.com](mailto:info@jkgears.com), [dalbirbright@gmail.com](mailto:dalbirbright@gmail.com) website: [www.jkgears.com](http://www.jkgears.com)





ホブ軸回転換プリー表

$\frac{W_1}{W_2} = \frac{222}{100}$  (C)  
 $\frac{W_1}{W_3} = \frac{303}{100}$  (B)

ホブ軸回転換 No. (A)	ホブ軸径 (mm)		歯数プリー外径		V (mm)
	W <sub>1</sub>	W <sub>2</sub>	W <sub>1</sub>	W <sub>2</sub>	
1	270	400	312	283	1550
2	220	330	273	300	
3	180	270	240	316	
4	150	230	180	283	1360
5	130	200	166	300	
6	120	180	157	316	
7	105	160	125	283	1280
8	86	130	107	300	
9	66	100	86	316	



<b>Machine Id</b>	<b>:- 1138</b>	<b>Serial No</b>	<b>:-</b>
<b>Category</b>	<b>:- Gear Hobbers</b>	<b>Model</b>	<b>:- GH300</b>
<b>Country</b>	<b>:- Japan</b>	<b>Make</b>	<b>:- Mitsubishi</b>
<b>Type of Machine</b>	<b>:- Gear Hobbing Machine Heavy Production</b>	<b>Year</b>	<b>:- 0</b>
<b>Weight</b>	<b>:- 0.0</b>	<b>Dimensions</b>	<b>:-</b>
<b>Power</b>	<b>:-</b>	<b>Location</b>	<b>:- Mumbai Warehouse,India</b>

### Specification :-

max. wheel diameter 315 mm  
 gear width 315 mm  
 max. module 8 MODULE  
 max. angle of teeth 45 Degree  
 Work Table Diameter: 350mm  
 Hob Arbor Taper: Morse No. 5  
 Maximum Hob Diameter: 150mm  
 Maximum Hob Length: 200mm  
 Hob Shifting Amount: 130mm  
 Maximum Indexing Tooth: 200  
 Minimum Indexing Tooth Number: 6  
 Max Degree 50 PA

### **Additional information:**

Complete with change gears  
 Complete with handbooks and machine manuals  
 Suitable for Spur , Helical , Crowning & slightly tapered gears both for both and heavy production of components

