


# KUNARK HITECH MACHINING & SALES PVT.LTD.


Kunark House, 269, Kunark Marg, Kaman Bhiwandi Road, Kaman,


Vasai Road (East), Dist: Thane -401208, Maharashtra, India.

Mobile: (+91) 9867973046 Factory: 0250-6454895

Email: [info@jkgears.com](mailto:info@jkgears.com), [dalbirbright@gmail.com](mailto:dalbirbright@gmail.com) website: [www.jkgears.com](http://www.jkgears.com)











<b>Machine Id</b>	<b>:- 1193</b>	<b>Serial No</b>	<b>:-</b>
<b>Category</b>	<b>:- Gear Hobbers</b>	<b>Model</b>	<b>:- FO 16</b>
<b>Country</b>	<b>:- Czech Republic</b>	<b>Make</b>	<b>:- Tos</b>
<b>Type of Machine</b>	<b>:- gear hobber universal</b>	<b>Year</b>	<b>:-</b>
<b>Weight</b>	<b>:- 0.0</b>	<b>Dimensions</b>	<b>:-</b>
<b>Power</b>	<b>:-</b>	<b>Location</b>	<b>:- Mumbai Warehouse, India</b>

**Specification :-**

**Max. gear wheel module**

**- max. machining 16**

**- with normal machine loading 20**

**Max. gear wheel diameter mm 1600**

**Max. gear wheel diameter without steady with normal machine loading mm 2000**

**Max. gear wheel width with straight teeth**

**- gear wheel diameter above 1350 mm mm 560**

**- gear wheel diameter below 1350 mm mm 500**

**Max. distance between spindle and table surface mm 1050**

**Min. distance between spindle and table surface mm 400**

**Max. distance between spindle and table mm 1150**

**Min. distance between spindle and table mm 100**

**Table diameter mm 1350**

**Table boring diameter mm 180**

**Number of T-shaped groove mm 8**

Milling arbor diameter mm 32-40-50-60

Number of milling spindle revolutions in R 10 row, =1,26 from-to U/min 16- 80

Main motor power PS 15

Fast motor power PS 7,5

Vertical feed number 36

Vertical feed range with table revolutions from- to mm 0,25- 6

Longitudinal feed number with table revolutions from- to mm 0,05-1,5

Machine surface needed mm 4300 x 2000

Weight with normal equipment kG 18 100